	PPI		Placebo		Odds Ratio		Odds Ratio			
Study or Subgroup	Events	Total	Events	Total	Weight	M-H, Fixed, 95% CI		M-H, Fixe	d, 95% CI	
Achem 1997	7	16	3	18	5.7%	3.89 [0.80, 18.97]		_		
bautista 2004	14	18	4	18	3.2%	12.25 [2.54, 58.97]				_
Dickman 2005	12	16	3	16	2.7%	13.00 [2.40, 70.46]				_
Fass 1998	18	23	6	23	4.7%	10.20 [2.62, 39.72]				_
Flook 2013	55	142	39	153	83.2%	1.85 [1.13, 3.04]			-	
Pandek 2002	18	20	1	20	0.4%	171.00 [14.24, 2053.25]			_	→
Total (95% CI)		235		248	100.0%	3.61 [2.46, 5.29]			•	
Total events	124		56							
Heterogeneity: Chi² = 23.03, df = 5 (P = 0.0003); l² = 78%							0.01	0.1	10	100
Test for overall effect: Z = 6.56 (P < 0.00001)							0.01	deterioration	I 10 improvement	100

Supplementary Figure 16. Forest plot of the benefits from the proton pump inhibitor (PPI) treatment in gastroesophageal reflux disease positive patients with non-cardiac chest pain. M-H, Mantel-Haenszel.